

Bacterial Blight Ratings (race 18)
By Terry Wheeler, Texas A&M AgriLife Research, Lubbock

Brand	Variety	Bacterial blight	Brand	Variety	Bacterial blight
All-Tex	AT AridB2RF	S	Deltapine	DP 1909XF	R
All-Tex	AT Concho B2XF	R	Deltapine	DP 1948B3XF	R
All-Tex	AT DineroB2RF	S	DynaGro	DG 2615B2RF	PR
All-Tex	AT EdgeB2RF	S	DynaGro	DG 3109B2XF	S
All-Tex	AT Epic RF	S	DynaGro	DG 3445B2XF	R
All-Tex	AT Nitro-44B2RF	R	DynaGro	DG 3544B2XF	R
Croplan Genetics	CG 3226B2XF	S	Fibermax	FM 1320GL	PS
Croplan Genetics	CG 3475B2XF	MS	Fibermax	FM 1740B2F	R
Croplan Genetics	CG 3527B2XF	S	Fibermax	FM 1830GLT	R
Croplan Genetics	CG 3787B2RF	R	Fibermax	FM 1888GL	R
Croplan Genetics	CG 3885B2XF	S	Fibermax	FM 1900GLT	R
Deltapine	DP 104B2RF	S	Fibermax	FM 1911GLT	R
Deltapine	DP 1044B2RF	MS	Fibermax	FM 1944GLB2	S
Deltapine	DP 1050B2RF	S	Fibermax	FM 1953GLTP	R
Deltapine	DP 1133B2RF	R	Fibermax	FM 2007GLT	R
Deltapine	DP 1137B2RF	S	Fibermax	FM 2011GT	R
Deltapine	DP 1212B2RF	S	Fibermax	FM 2322GL	S
Deltapine	DP 1219B2RF	S	Fibermax	FM 2334GLT	R
Deltapine	DP 1252B2RF	S	Fibermax	FM 2498GLT	R
Deltapine	DP 1321B2RF	S	Fibermax	FM 2574GLT	R
Deltapine	DP 1518B2XF	R	Fibermax	FM 2484B2F	R
Deltapine	DP 1522B2XF	S	Fibermax	FM 9250GL	R
Deltapine	DP 1538B2XF	S	NexGen	NG 1511B2RF	MS
Deltapine	DP 1549B2XF	S	NexGen	NG 3306B2RF	S
Deltapine	DP 1553B2XF	S	NexGen	NG 3405B2XF	S
Deltapine	DP 1555B2RF	S	NexGen	NG 3406B2XF	S
Deltapine	DP 1558NRB2RF	S	NexGen	NG 3500XF	R
Deltapine	DP 1612B2XF	I	NexGen	NG 3517B2XF	MS
Deltapine	DP 1614B2XF	I	NexGen	NG 3522B2XF	S
Deltapine	DP 1639B2XF	R	NexGen	NG 3640XF	R
Deltapine	DP 1646B2XF	I to PR	NexGen	NG 3699B2XF	R
Deltapine	DP 1725B2XF	S	NexGen	NG 3780B2XF	S
Deltapine	DP 1747NRB2XF	S	NexGen	NG 4012B2RF	R
Deltapine	DP 1820B3XF	R	NexGen	NG 4111RF	R
Deltapine	DP 1822XF	R	NexGen	NG 4545B2XF	R
Deltapine	DP 1835B3XF	S	NexGen	NG 4601B2XF	S
Deltapine	DP 1840B3XF	R	NexGen	NG 4689B2XF	R
Deltapine	DP 1845 B3XF	R	NexGen	NG 4777B2XF	R
Deltapine	DP 1851B3XF	R	NexGen	NG 4792XF	S
Deltapine	DP 1908B3XF	R	NexGen	NG 5007B2XF	S

Brand	Variety	Bacterial blight	Brand	Variety	Bacterial blight
NexGen	NG 5711B3XF	R	Phytogen	PHY 450W3FE	R
Phytogen	PHY 220W3FE	PS	Phytogen	PHY 480W3FE	R
Phytogen	PHY 222WRF	S	Phytogen	PHY 490W3FE	R
Phytogen	PHY 223WRF	MR	Phytogen	PHY 495W3RF	S
Phytogen	PHY 230W3FE	R	Phytogen	PHY 499WRF	S
Phytogen	PHY 243WRF	PR	Phytogen	PHY 575WRF	R
Phytogen	PHY 250W3FE	R	Stoneville	ST 4747GLB2	S
Phytogen	PHY 300W3FE	R	Stoneville	ST 4848GLT	S
Phytogen	PHY 308WRF	S	Stoneville	ST 4946GLB2	S
Phytogen	PHY 312WRF	MS	Stoneville	ST 4949GLT	S
Phytogen	PHY 330W3FE	R	Stoneville	ST 5020GLT	R
Phytogen	PHY 333WRF	S	Stoneville	ST 5032GLT	S
Phytogen	PHY 339WRF	R	Stoneville	ST 5115GLT	R
Phytogen	PHY 340W3FE	R	Stoneville	ST 5289GLT	R
Phytogen	PHY 417WRF	S	Stoneville	ST 5471GLTP	R
Phytogen	PHY 427WRF	S	Stoneville	ST 5517GLTP	R
Phytogen	PHY 430W3FE	R	Stoneville	ST 6182GLT	S
Phytogen	PHY 440W3FE	R	Stoneville	ST 6448GLB2	R
Phytogen	PHY 444WRF	MS			

*S = highly susceptible; MS = mostly susceptible; PS = partially susceptible; I = Intermediate; PR = partially resistant; MR = mostly resistant; R = highly resistant

The Plains Cotton Improvement Program funded the research program to inoculate and rate these varieties. The research was conducted jointly by Terry Wheeler and Jane Dever working for Texas A&M AgriLife Research, Lubbock.